RTI/38502 Page 1 of 2

Street check summary

Queensland Police Service

Occurrence: QI2200702596 Intelligence @25/04/2022 12:57

Valid as of 18/06/2022 17:17:43 Printed by #4018255 PUGH, A.

BOLO: No

Involved people

- Sch4p4(6)
- Sch4p4(6)

Involved addresses

• [Occurrence address] CLARENDON RD, CLARENDON, QLD Australia 4311 (Patrol group: IPSWICH COUNTRY, Court Dist./Div.: IPSWICH, Region: SOUTHERN, District: IPSWICH, Division: LOWOOD, Stats area: 312056582)

Involved vehicles

• [Sighted] [Car: Station wagon] 2012 HOLDEN CAPTIVA White QLD Reg Sch4p4(6)


Involved officers

- 0852 CRIME STOPPERS UNIT Sch4p4(6)
- #4013730 JESSEN, S. (Submitting officer)
- 0117 IPSWICH DISTRICT INTEL Sch4p4(6)
- #4013730 JESSEN, S. (Reporting officer)
- #4026052 FIELDING, T. (Intelligence officer)

Summary: Sch4p4(6) - Suspicious Activity Form - VOI, Wilful damage - Stolen plate, Suspect vehicle, Arson - Clarendon RD, CLARENDON, QLD, Australia, 4311.

Remarks:

Report(s)



24/04/2022. Sch4p past the car on the side of the road at 10pm on the 23/04 and the licence plates had been removed and car was still intact. Same again Sch4p drove past Sch4p4(6) The car was then burnt out Sch4p went past on the 24/04 Sch4p4(6). The same car was up for sale (blue sticker on the bottom fet hand side of the back windscreen) Sch4p4(6) suspicious the

In confidence

Printed by: 4018255 Date: 18/06/2022 17:17 Computer: PC547332 Page 1 of 2

RTI/38502 Page 2 of 2

plates had been removed early in the night and nothing had happened to the car

Sch4p4(6)
Who is involved? Sch4p4(6) Sch4p4(6)
COVID-19 Attendance risk factors:
Has any person at the location been diagnosed with COVID-19?: No Are any persons at the location self-isolating or in quarantine due to COVID-19?: No Does any person at the location have flu-like symptoms?: No
Sch4p4(6)
Sch4p4(6)
CSU NOTE: Relates to QP2200696415.
EVALUATION
As indicated, information related to QP220069415 currently held by Lowood Station.
FYI sent to investigating officer.
[C. Fairly reliable, 3. Possibly true report, Caveat No/Dissemination Yes, Not suitable for ACID]

In confidence